

TURKEY FEEDING GUIDE

Average Pounds of Feed Per Bird Consumed During Each Two Week Period

STARTER FEED

1-2 WEEKS	0.60 <i>lbs</i>
3-4 WEEKS	1.75 <i>lbs</i>
5-6 WEEKS	1.90 <i>lbs</i>
STARTER TOTAL	4.25 <i>lbs per bird</i>

GROWER FEED

7-8 WEEKS	2.75 <i>lbs</i>
9-10 WEEKS	3.50 <i>lbs</i>
11-12 WEEKS	4.30 <i>lbs</i>
13-14 WEEKS	5.50 <i>lbs</i>
GROWER TOTAL	16.05 <i>lbs per bird</i>

FINISHER FEED

15-16 WEEKS	5.75 <i>lbs</i>
17-18 WEEKS	6.65 <i>lbs</i>
19-20 WEEKS	7.00 <i>lbs</i>
21-22 WEEKS <i>(optional)</i>	8.00 <i>lbs</i>
23-24 WEEKS <i>(optional)</i>	8.25 <i>lbs</i>
25-26 WEEKS <i>(optional)</i>	8.25 <i>lbs</i>
27-28 WEEKS <i>(optional)</i>	8.50 <i>lbs</i>
EST. TOTAL	19.4 <i>lbs per bird</i>

EST. FINISH WEIGHT	Approx. 24 <i>lbs</i>
DRESS WEIGHT	Approx. 80% <i>(of Est. Finish Weight)</i>

COYOTE CREEK

ORGANIC FEED MILL

ELGIN, TEXAS

Estimates are based on test flocks raised for a full 28 weeks under normal conditions, although average turkey finish dates occur during the 20th week. Results vary, impacted by the quality of living conditions, weather, stress, and management style. Provide access to feed and clean water at all times. A day without feed will result in weight loss and inhibited growth. Finisher feed quantities depend on desired dress weights.

For any additional information, please contact:
mill@coyotecreekfarm.org



COYOTE CREEK FARM

www.CoyoteCreekFarm.org